

<Name>	Frame
2017 Fuel EX 29 Carbon Frameset	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 130mm travel
2017 Fuel EX 5 27.5 Plus	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm travel
2017 Fuel EX 5 29	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm
2017 Fuel EX 5 Women's	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry on 29ers, 130mm travel
2017 Fuel EX 7 29	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm
2017 Fuel EX 8 27.5 Plus	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm travel

2017 Fuel EX 8 29	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm
2017 Fuel EX 8 Women's	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry on 29ers, 130mm travel
2017 Fuel EX 9 29	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, G2 Geometry, 130mm
2017 Fuel EX 9.7 29	OCLV Mountain Carbon main frame, alloy stays, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 130mm travel
2017 Fuel EX 9.8 27.5 Plus	OCLV Mountain Carbon main frame & seatstay, alloy chainstay, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 130mm travel

2017 Fuel EX 9.8 29	OCLV Mountain Carbon main frame & seatstay, alloy chainstay, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 130mm travel
2017 Fuel EX 9.8 Women's	OCLV Mountain Carbon main frame & seatstay, alloy chainstay, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry on 29ers, 130mm travel
2017 Fuel EX 9.9 29	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 130mm travel
2017 Remedy 7	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, 150mm travel
2017 Remedy 8	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, 150mm travel

2017 Remedy 8 Women's	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, 150mm travel
2017 Remedy 9 Race Shop Limited	Alpha Platinum Aluminum, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, down tube guard, PF92, ISCG 05, 150mm travel
2017 Remedy 9.8	OCLV Mountain Carbon main frame & seatstay, alloy chainstay, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, 150mm travel
2017 Remedy 9.8 Women's	OCLV Mountain Carbon main frame & seatstay, alloy chainstay, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, 150mm travel
2017 Remedy 9.9 Race Shop Limited	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, 150mm travel
2017 Remedy Carbon Frameset	OCLV Mountain Carbon main frame & stays, ABP, Boost148, Knock Block steerer stop, Full Floater, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, 150mm travel

Front suspension	Rear suspension	Wheels
	Fox Factory Float EVOL, RE:aktiv 3-position damper, Kashima Coat, tuned by Trek Suspension Lab, 210x52.5mm	
RockShox Sektor Silver RL, Solo Air, TurnKey lockout, E2 tapered steerer, Boost110, G2 Geometry w/ 51mm offset, 140mm travel	RockShox Deluxe RL, 210x52.5mm	Bontrager alloy hubs, Boost110 front, Boost148 rear; SUNringlé Duroc 40 SL 28-hole rims
RockShox Sektor Silver RL, Solo Air, TurnKey lockout, E2 tapered steerer, Boost110, G2 Geometry w/ 51mm offset, 130mm travel	RockShox Deluxe RL, 210x52.5mm	Bontrager alloy, 15mm alloy axle front hub; Bontrager sealed cartridge bearing alloy axle, Boost148 rear hub; Bontrager AT-650 32-hole double-walled alloy rims
RockShox Sektor Silver RL, Solo Air, TurnKey lockout, E2 tapered steerer, Boost110, G2 Geometry w/ 51mm offset on 29ers, 130mm travel	RockShox Deluxe RL, 210x52.5mm	Bontrager alloy, 15mm alloy axle front hub; Bontrager sealed cartridge bearing alloy axle, Boost148 rear hub; Bontrager AT-650 32-hole double-walled alloy rims
RockShox Revelation RL, Solo Air spring, Motion Control damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Performance Float EVOL, 3-position damper, 210x52.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
Fox Rhythm 34 Float, Grip adjustable damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 140mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager sealed bearing hubs, alloy axle Boost110 front, Boost148 rear; SUNringlé Duroc 40 SL 28-hole rims

Fox Rhythm 34 Float, Grip adjustable damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
Fox Rhythm 34 Float, Grip adjustable damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset on 29ers, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
Fox Performance 34 Float, FIT4 3-position damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
Fox Rhythm 34 Float, Grip adjustable damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
Fox Performance 34 Float, Grip 3-position damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 140mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	DT Swiss 350 centerlock disc hubs, Boost110 front, Boost148 rear; SUNringle Duroc 40 SL 28-hole rims

Fox Performance 34 Float, Grip 3-position damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
Fox Performance 34 Float, Grip 3-position damper, E2 tapered steerer, Boost110, G2 Geometry w/51mm offset on 29ers, 130mm travel	Fox Performance Float EVOL, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 210x52.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
Fox Factory 34 Float, FIT4 3-position damper, E2 tapered steerer, Kashima Coat, Boost110, G2 Geometry w/51mm offset, 130mm travel	Fox Factory Float EVOL, RE:aktiv 3-position damper, Kashima Coat, tuned by Trek Suspension Lab, 210x52.5mm	DT Swiss XMC1200 Carbon, tubeless strips & valves, Boost110 front, Boost148 rear
RockShox Yari RL, Solo Air, Motion Control damper, E2 tapered steerer, Boost110, 150mm travel	RockShox Deluxe RL, 230x57.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
RockShox Pike RC, Solo Air, Charger damper, E2 tapered steerer, Boost110, 150mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear

RockShox Pike RC, Solo Air, Charger damper, E2 tapered steerer, Boost110, 150mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Duster Elite, Tubeless Ready, Boost110 front, Boost148 rear
RockShox Lyrik RC, Dual Position Air, Charger Damper, E2 tapered steerer, Boost110, 130mm/160mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
RockShox Pike RC, Solo Air, Charger damper, E2 tapered steerer, Boost110, 150mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
RockShox Pike RC, Solo Air, Charger damper, E2 tapered steerer, Boost110, 150mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
RockShox Lyrik RCT3, Dual Position Air, Charger Damper, E2 tapered steerer, Boost110, 130mm/160mm travel	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Line Elite 30, Tubeless Ready, 54T Rapid Drive, Boost110 front, Boost148 rear
	RockShox Deluxe RT3, RE:aktiv 3-position damper, tuned by Trek Suspension Lab, 230x57.5mm	



Tires	Bottom bracket	Cassette
Bontrager Chupacabra, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.80"	PF92	Shimano HG50, 11-36, 10 speed
Bontrager XR3, 29x2.30"	PF92	Shimano HG50, 11-36, 10 speed
Bontrager XR3, 29x2.30" (14 & 15.5: 27.5x2.35")	PF92	Shimano HG50, 11-36, 10 speed
Bontrager XR3 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 29x2.40"	PF92	Shimano HG50, 11-36, 10 speed
Bontrager Chupacabra, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.80"	PF92	SRAM XG-1150, 10-42, 11 speed

Bontrager XR3 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 29x2.40"	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager XR3 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 29x2.40" (14 & 15.5: 27.5x2.35")	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager XR3 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 29x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed
Bontrager XR3 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 29x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed
Bontrager Chupacabra, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.80"	PF92	Shimano Deore XT, 11-40, 11 speed

Bontrager XR3 Team Issue, Tubeless Ready, Inner Strength sidewalls, 120tpi, aramid bead, 29x2.40"	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager XR3 Team Issue, Tubeless Ready, Inner Strength sidewalls, 120tpi, aramid bead, 29x2.40" (14 & 15.5: 27.5x2.35")	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager XR3 Team Issue, Tubeless Ready, Inner Strength sidewalls, 120tpi, aramid bead, 29x2.40"	PF92	SRAM XG-1295, 10-50, 12 speed
Bontrager XR4 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.40"	PF92	Shimano HG50, 11-36, 10 speed
Bontrager XR4 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed

Bontrager XR4 Expert, Tubeless Ready, Inner Strength sidewalls, aramid bead, 27.5x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed
Bontrager SE4 Team Issue, Tubeless Ready, Core Strength sidewalls, 120tpi, aramid bead, 27.5x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed
Bontrager XR4 Team Issue, Tubeless Ready, Inner Strength sidewalls, 120tpi, aramid bead, 27.5x2.40"	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager XR4 Team Issue, Tubeless Ready, Inner Strength sidewalls, 120tpi, aramid bead, 27.5x2.40"	PF92	Shimano Deore XT, 11-42, 11 speed
Bontrager SE4 Team Issue, Tubeless Ready, Core Strength sidewalls, 120tpi, aramid bead, 27.5x2.40"	PF92	SRAM XG-1295, 10-50, 12 speed

Chain	Crank	Front derailleur
KMC X10	Race Face Ride, 36/22	Shimano Deore, high direct mount
KMC X10	Race Face Ride, 36/22	Shimano Deore, high direct mount
KMC X10	Race Face Ride, 36/22	Shimano Deore, high direct mount
KMC X10	Shimano M627, 36/22	Shimano Deore, high direct mount
SRAM PC 1130	SRAM GX 1000, 32T X-Sync	

Shimano HG60	Shimano Deore XT, 36/26	Shimano Deore, high direct mount
Shimano HG60	Shimano Deore XT, 36/26	Shimano Deore, high direct mount
SRAM PC-1110	SRAM X1 1200, 32T Direct Mount X-Sync	
SRAM PC-1110	SRAM X1 1200, 32T Direct Mount X-Sync	
Shimano Deore XT	Shimano Deore XT, 36/26	Shimano Deore XT, high direct mount

Shimano Deore XT	Shimano Deore XT, 36/26	Shimano Deore XT, high direct mount
Shimano Deore XT	Shimano Deore XT, 36/26	Shimano Deore XT, high direct mount
SRAM X01 Eagle	SRAM XX1 Eagle, 34T Direct Mount X-Sync	
KMC X10	Race Face Ride, 36/22	Shimano Deore, low direct mount
SRAM PC 1130	SRAM GX 1000, 32T X-Sync	

SRAM PC 1130	SRAM GX 1000, 32T X-Sync	
SRAM PC 1130	SRAM X1 1200, 32T Direct Mount X-Sync	
Shimano Deore XT	Shimano Deore XT, 36/26	Shimano Deore XT
Shimano Deore XT	Shimano Deore XT, 36/26	Shimano Deore XT
SRAM X01 Eagle	SRAM X01 Eagle, 32T Direct Mount X-Sync	



Rear derailleur	Shifters	Brakeset
Shimano Deore, Shadow	Shimano Deore, 10 speed	Shimano M315 hydraulic disc
Shimano Deore, Shadow	Shimano Deore, 10 speed	Shimano M315 hydraulic disc
Shimano Deore, Shadow	Shimano Deore, 10 speed	Shimano M315 hydraulic disc
Shimano SLX, Shadow Plus	Shimano Deore, 10 speed	Shimano M506 hydraulic disc
SRAM GX, Roller Bearing Clutch	SRAM GX, 11 speed	Shimano Deore hydraulic disc

Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore hydraulic disc
Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore hydraulic disc
SRAM X1, Roller Bearing Clutch	SRAM X1, 11 speed	SRAM Guide RS hydraulic disc
SRAM GX, Roller Bearing Clutch	SRAM GX, 11 speed	Shimano Deore hydraulic disc
Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore XT hydraulic disc

Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore XT hydraulic disc
Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore XT hydraulic disc
SRAM XX1 Eagle, Roller Bearing Clutch	SRAM XX1 Eagle, 12 speed	SRAM Guide Ultimate hydraulic disc
Shimano SLX, Shadow Plus	Shimano Deore, 10 speed	Shimano Deore hydraulic disc
SRAM GX, Roller Bearing Clutch	SRAM GX, 11 speed	Shimano Deore hydraulic disc

SRAM GX, Roller Bearing Clutch	SRAM GX, 11 speed	Shimano Deore hydraulic disc
SRAM X1, Roller Bearing Clutch	SRAM X1, 11 speed	SRAM Guide RS hydraulic disc
Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore XT hydraulic disc
Shimano Deore XT, Shadow Plus	Shimano Deore XT M8000, 11 speed	Shimano Deore XT hydraulic disc
SRAM X01 Eagle, Roller Bearing Clutch	SRAM X01 Eagle, 12 speed	SRAM Guide Ultimate carbon hydraulic disc

Handlebar	Headset	Saddle
	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	
Bontrager alloy, 31.8mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 1.5
Bontrager alloy, 31.8mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 1.5
Bontrager alloy, 31.8mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 1.5 WSD
Bontrager alloy, 31.8mm, 5mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails

Bontrager Line, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2 WSD, chromoly rails
Bontrager Line, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line Pro, OCLV Carbon, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails

Bontrager Line Pro, OCLV Carbon, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails
Bontrager Line Pro, OCLV Carbon, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails
Bontrager Line Pro, OCLV Carbon, 35mm, 15mm rise, 750mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke RXL, carbon rails
Bontrager alloy, 31.8mm, 15mm rise	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line, 35mm, 27.5mm rise, 780 width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails

Bontrager Line, 35mm, 27.5mm rise, 780 width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 1.5 WSD
Bontrager Line, 35mm, 27.5mm rise, 780 width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 2, chromoly rails
Bontrager Line Pro, OCLV Carbon, 35mm, 27.5mm rise, 780 width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails
Bontrager Line Pro, OCLV Carbon, 35mm, 27.5mm rise, 780mm width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails
Bontrager Line Pro, OCLV Carbon, 35mm, 27.5mm rise, 780 width	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	Bontrager Evoke 3, titanium rails
	Knock Block Integrated, cartridge bearing, sealed, 1-1/8" top, 1.5" bottom	



Seatpost	Stem	Grips
	Bontrager Line Pro, Knock Block, 35mm, 0 degree	
Bontrager SSR, 2-bolt head, 31.6mm, 12mm offset	Bontrager Rhythm Comp, Knock Block, 31.8mm, 0 degree	Bontrager Race
Bontrager SSR, 2-bolt head, 31.6mm, 12mm offset	Bontrager Rhythm Comp, Knock Block, 31.8mm, 0 degree	Bontrager Race
Bontrager SSR, 2-bolt head, 31.6mm, 12mm offset	Bontrager Rhythm Comp, Knock Block, 31.8mm, 0 degree	Bontrager Race
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Rhythm Comp, Knock Block, 31.8mm, 0 degree	Bontrager Race Lite, lock-on
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on

KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
RockShox Reverb Stealth, 2-bolt head, 31.6mm, zero offset	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on

Bontrager Drop Line 125, universal remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
Bontrager Drop Line 125, universal remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Race Lite, lock-on
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Rhythm Comp, Knock Block, 31.8mm, 0 degree	Bontrager Rhythm, dual lock-on
KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on

KS eThirty Integra, remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
Bontrager Drop Line 125, universal remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
Bontrager Drop Line 125, universal remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
	Bontrager Line Pro, Knock Block, 35mm, 0 degree	