

<Name>	Frame
2017 Slash 29 Carbon Frameset	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 150mm travel
2017 Slash 9.8 29	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 150mm travel
2017 Slash 9.9 29 Race Shop Limited	OCLV Mountain Carbon main frame & 1x-specific stays, ABP, Boost148, Knock Block steerer stop, EVO link, E2 tapered head tube, Mino Link, Control Freak internal routing, Carbon Armor, PF92, ISCG 05, G2 Geometry, 150mm travel

Front suspension	Rear suspension	Wheels
	Fox Factory Float X2, 2-position damper, high/low speed rebound adjust, high/low speed compression adjust, tuned by Trek Suspension Lab, 230x57.5mm	
RockShox Pike RC, Dual Position Air, Charger damper, E2 tapered steerer, Boost110, G2 Geometry w/ 51mm offset, 130mm/160mm travel	RockShox Super Deluxe RC3, 230x57.5mm	Bontrager Line Comp 30, Tubeless Ready, Boost110 front, Boost148 rear
Fox Factory 36 Talas, high/low speed compression adjust, E2 tapered steerer, Boost110, G2 Geometry w/ 51mm offset, 130/160mm travel	Fox Factory Float X2, 2-position damper, high/low speed rebound adjust, high/low speed compression adjust, tuned by Trek Suspension Lab, 230x57.5mm	Bontrager Line Elite 30, Tubeless Ready, 54T Rapid Drive, Boost110 front, Boost148 rear

Tires	Bottom bracket	Cassette
Bontrager SE4 Team Issue, Tubeless Ready, Core Strength sidewalls, aramid bead, 29x2.40"	PF92	SRAM XG-1150, 10-42, 11 speed
Bontrager SE4 Team Issue, Tubeless Ready, Core Strength sidewalls, aramid bead, 29x2.40"	PF92	SRAM XG-1295, 10-50, 12 speed

Chain	Crank	Front derailleur
	SRAM X1 1200, 32T Direct Mount X-Sync	
	SRAM X01 Eagle, 32T Direct Mount X-Sync	

Rear derailleur	Shifters	Brakeset
SRAM X1, Roller Bearing Clutch	SRAM X1, 11 speed	SRAM Guide R hydraulic disc
SRAM X01 Eagle, Roller Bearing Clutch	SRAM X01 Eagle, 12 speed	SRAM Guide Ultimate carbon hydraulic disc

Handlebar	Headset	Saddle
	FSA Knock Block IS-2, E2, sealed alloy cartridge	
Bontrager Line, 35mm, 27.5mm rise, 780mm width	FSA Knock Block IS-2, E2, sealed alloy cartridge	Bontrager Evoke 2, chromoly rails
Bontrager Line Pro, OCLV Carbon, 35mm, 27.5mm rise, 780mm width	FSA Knock Block IS-2, E2, sealed alloy cartridge	Bontrager Evoke 3, titanium rails

Seatpost	Stem	Grips
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on
Bontrager Drop Line 125, under-bar remote lever, 2-bolt head, 31.6mm, zero offset, internal routing	Bontrager Line Pro, Knock Block, 35mm, 0 degree	Bontrager Rhythm, dual lock-on